










GRD 66

*Gru da città senza cuspidè
Top less city crane
City kran ohne turmspitze
City grue sans poinçon*



RD LIFT



GRD 66



Gru da città senza cuspidè
 Top less city crane
 City kran ohne turmspitze
 City grue sans poinçon





A3 FEM1,001




































Raggi e portate - Radius and s.w.l.

Portata max / Max s.w.l.		4000 kg. 						
								
Braccio / Jib (m.)		66	60	54	48	42	36	30
Campo di portata max Max s.w.l. range		28,40	30,10	28,41	29,53	30,27	32	30
Raggi (m.) Radius (m.)	30	3766	3996	4000	4000	4000	4000	4000
	32	3503	3719	4000	4000	4000	4000	
	34	3272	3474	3889	4000	4000	4000	
	36	3067	3258	3649	3937	4000	4000	
	38	2884	3065	3435	3707	4079		
	40	2719	2891	3242	3501	3853		
	42	2571	2734	3068	3314	3650		
	44	2436	2592	2911	3145			
	46	2314	2462	2767	2991			
	48	2201	2344	2635	2850			
	50	2098	2235	2515				
	52	2003	2134	2403				
	54	1915	2041	2300				
	56	1833	1955					
	58	1757	1875					
	60	1686	1800					
62	1620							
64	1558							
66	1500							

Portata max / Max s.w.l.		8000 kg. 						
								
Braccio / Jib (m.)		66	60	54	48	42	36	30
Campo di portata max Max s.w.l. range		14,9	15,7	17,3	18,6	20,2	21,1	22
Raggi (m.) Radius (m.)	16	7375	7825	8000	8000	8000	8000	8000
	18	6470	6868	7674	8000	8000	8000	8000
	20	5754	6110	6832	7366	8000	8000	8000
	22	5172	5495	6149	6632	7290	7661	8000
	24	4691	4985	5584	6025	6626	6966	7281
	26	4285	4557	5108	5514	6068	6380	6670
	28	3940	4191	4702	5078	5591	5881	6150
	30	3642	3876	4351	4702	5180	5450	5700
	32	3381	3601	4046	4374	4821	5074	
	34	3153	3359	3777	4086	4506	4743	
	36	2950	3144	3539	3830	4226	4450	
	38	2769	2953	3326	3601	3977		
	40	2606	2781	3135	3396	3752		
	42	2459	2626	2963	3211	3550		
	44	2326	2485	2806	3043			
	46	2205	2356	2663	2890			
	48	2094	2239	2533	2750			
	50	1992	2131	2413				
	52	1897	2031	2302				
	54	1810	1939	2200				
56	1730	1854						
58	1654	1774						
60	1584	1700						
62	1519							
64	1458							
66	1400							

Caratteristiche azionamenti principali - General technical characteristics

								
Type	Cv	Kw	mt	speed	m/min	Kg	m/min	Kg
25 HP - 6	25	18,4	190		7,5	3000	3,7	6000
					30	3000	15	6000
					60	1500	30	3000
25 HP - 6 VF	25	18,4	190		6	3000	3	6000
					30	3000	15	6000
					60	1500	30	3000
					72	1000	36	2000
33 HP - 6 VF	33	24,3	234		7,5	3000	3,7	6000
					37,5	3000	18,5	6000
					75	1500	37,5	3000
33 HP - 8 VF	33	24,3	450		5,6	4000	2,8	8000
					28	4000	14	8000
					56	2000	28	4000
					67	1300	33,6	2600
50 HP - 8 VF	50	36,8	305		9	4000	5	8000
					28	4000	14	8000
					75	2509	38	4689
					75	2509	38	4689
					98	1907	49	3516
50 HP - 8 HVF	50	36,8	796		5	4000	2,5	8000
					23	4000	11,5	8000
					43	4000	21,5	8000
					64	2748	32	5496
					87	1940	43,5	3880

Rotazione - Slewing	giri/min	Kw	cv	Carrello - Trolley	m/min	Kw	cv	Traslazione - Rail	m/min	Kw	cv	
	0,26	2x4	2x5,5		18,8	5,5	7,5		20	2x4	2x5,5	
	0,48											
	0,70											
					54							





progressivo-progressive

Forza motrice totale - Total installed power

18,4 Kw (25Hp) 24,3 Kw (33Hp) 37 Kw (50Hp)

38 Kw 44 Kw 59 Kw

Gru a sorpalzo idraulico "HC" - External climbing





Gru da città senza cuspid
Top less city crane
City kran ohne turmspitze
City grue sans poincon

Dati illustrativi non impegnativi
con riserva di modifica senza
preavviso.

Specifications and data not
binding subject to modification without
notice.

Angaben und Beschreibung
unverbindlich andreungen
vorbehalten ohne weitere mitteilung.

Données techniques seulement
indicatives modifications réservées
sans préavis

RDLIFT

RDLIFT srl

Via Emilia San Pietro, 25

42100 Reggio Emilia - Italy

Tel. +39 0522 448511 - Fax +39 0522 448540

commerciale@rdlift.com

www.rdlift.com

Agente - Dealer