




Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mästil/Reacciones – Tramo/Reacções

S1210


 15 m \longrightarrow 47.5 m



H=37-42 m		H=24-36 m		H=0-23 m	
R1		R1	53 t	R1	49 t
R2	69 t	R2	53 t	R2	47 t
R3	40 t	R3	25.6 t	R3	22 t
M	185 tm	M	116 tm	M	80 tm




Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre




H	n°	Tot.
0-24 m	18 A-B	54000 kg
25-36 m	20 A-B	60000 kg
37-42 m	24 B	72000 kg


	A	B
L	3.6m	4.0m
k	0.3m	1.2m
d	1.15m	0.19m




Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Måstil/Reacciones – Tramo/Reacções

S1700

 15 m \rightarrow 47.5 m




H=46–58 m		H=36–45 m		H=0–35 m	
R1	106 t	R1	72 t	R1	65 t
R2	106 t	R2	72 t	R2	65 t
R3	95 t	R3	61 t	R3	54 t
M	336 tm	M	194 tm	M	156 tm



















Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre

H	n°	Tot.
0–35 m	2C+ 18D	60800 kg
36–45 m	2C+ 22D	72000 kg
46–58 m	2C+ 34D	105550 kg



















Curve di carico – Courbes de charges – Load diagrams – LastKurven – Curvas de cargas

Pmax 2500 kg

	12000 kg		2	26	27.5	30	32.5	35	37.5	40	42.5	45	47.5	m
		47.5 m	2500	2500	2460	2110	1910	1730	1580	1450	1340	1230	1000	kg
	12000 kg		2	28.5	30	32.5	35	37.5	40	42.5	45			m
		45 m	2500	2500	2360	2120	1900	1720	1560	1420	1300			kg
	10800 kg		2	27.5	30	32.5	35	37.5	40					m
		40 m	2500	2500	2400	2160	1940	1760	1600					kg
	10800 kg		2		30	32.5	35							m
		35 m	2500		2500	2320	2200							kg
	9600 kg		2		30									m
		30 m	2500		2500									kg
	8400 kg		2		25									m
		25 m	2500		2500									kg
	7200 kg		2		20									m
		20 m	2500		2500									kg
	4800 kg		2		15									m
		15 m	2500		2500									kg



















Pmax 3000 kg

	12000 kg		2	22.5	27.5	30	32.5	35	37.5	40	42.5	45	47.5	m
		47.5 m	3000	3000	2460	2110	1910	1730	1580	1450	1340	1230	1000	kg
	12000 kg		2	24.5	27.5	30	32.5	35	37.5	40	42.5	45		m
		45 m	3000	3000	2650	2360	2120	1900	1720	1560	1420	1300		kg
	10800 kg		2	25	27.5	30	32.5	35	37.5	40				m
		40 m	3000	3000	2690	2400	2160	1940	1760	1600				kg
	10800 kg		2	28.5	30	32.5	35							m
		35 m	3000	3000	2500	2320	2200							kg
	9600 kg		2		29	30								m
		30 m	3000		3000	2800								kg
	8400 kg		2		25									m
		25 m	3000		3000									kg
	7200 kg		2		20									m
		20 m	3000		3000									kg
	4800 kg		2		15									m
		15 m	3000		3000									kg



Pmax 4000/2000 kg

	12000 kg		2	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40	42.5	45	47.5	m
		47.5 m	4000	4000	3410	2990	2630	2460	2110	1910	1730	1580	1450	1340	1230	1000	kg
	12000 kg		2	19.5	22.5	25	27.5	30	32.5	35	37.5	40	42.5	45			m
		45 m	4000	4000	3370	2970	2650	2360	2120	1900	1720	1560	1420	1300			kg
	10800 kg		2	20	22.5	25	27.5	30	32.5	35	37.5	40					m
		40 m	4000	4000	3520	3100	2690	2400	2160	1940	1760	1600					kg
	10800 kg		2	22.5	25	27.5	30	32.5	35								m
		35 m	4000	4000	3560	3180	2870	2320	2200								kg
	9600 kg		2		23	25	27.5	30									m
		30 m	4000		4000	3730	3360	2800									kg
	8400 kg		2		24	25											m
		25 m	4000		4000	3900											kg
	7200 kg		2		20												m
		20 m	4000		4000												kg
	4800 kg		2		15												m
		15 m	4000		4000												kg




Montaggio – Montage – Erection – Montage – Montaje – Montagem



X (m)	kg
3,2x3,2	2300kg
3,8x3,8	4500kg
4,5x4,5	3800kg

S1210	
(m)	(kg)
3	610
6	1500
12	2500

S1700	
(m)	(kg)
3,9	1600
5,2	2100
11,7	4200



Torre	kg
S1700	4500 kg
S1210	3000 kg



Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

Sollevamento V15.40 Hoisting Levage Heben Elevaciõn Elevaçao			1a	4 m/min	2500 kg	11 kW	V15.40 20 kVA		
Sollevamento V20.60 Hoisting Levage Heben Elevaciõn Elevaçao			2a	20 m/min	2500 kg				
			3a	40 m/min	1200 kg				
Sollevamento V20.40 Hoisting Levage Heben Elevaciõn Elevaçao			1a	7 m/min	2500 kg	14.7 kW	V20.60 24 kVA		
			2a	28 m/min	2500 kg				
			3a	56 m/min	1200 kg				
Sollevamento V25.60 Hoisting Levage Heben Elevaciõn Elevaçao				1a	4 m/min	3000 kg	14.7 kW	V20.40 24 kVA	
				2a	20 m/min	3000 kg			
				3a	40 m/min	1500 kg			
Sollevamento V15.40 Hoisting Levage Heben Elevaciõn Elevaçao				1a	7 m/min	3000 kg	18.5 kW	V25.60 28 kVA	
				2a	28 m/min	3000 kg			
				3a	56 m/min	1500 kg			
			1a	4 m/min	2000 kg	11 kW			V15.40 20 kVA
			2a	20 m/min	2000 kg				
			3a	40 m/min	1200 kg				
	1a	2 m/min	4000 kg	14.7 kW	V20.60 24 kVA				
	2a	10 m/min	4000 kg						
	3a	20 m/min	2400 kg						
Sollevamento V20.60 Hoisting Levage Heben Elevaciõn Elevaçao			1a			7 m/min	2000 kg	2.2 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert – Potencia
			2a			28 m/min	2000 kg		
			3a			56 m/min	1200 kg		
			1a	3.5 m/min	4000 kg	2.2 kW @ 1200rpm			
			2a	14 m/min	4000 kg				
			3a	28 m/min	2400 kg				
Carrello Trolleying Distribution Katzfahren Distribuciõn Distribuiçao			1a	5 m/min	4000 kg		3.7 kW		
			2a	25 m/min	4000 kg				
			3a	50 m/min	2000 kg				
Rotazione Slewing Orientatiõn Schwenken Orientaciõn Rotaçao			1a	0 → 0.2	giri/min tr/min rp/min				
			2a	0 → 0.6					
			3a	0 → 0.9					
Traslazione Travelling Translation Kranfahren Traslaciõn Traslaçao			1a	0 → 10	m/min				
			2a	0 → 20					

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Rede electrica 400V – 50 Hz

AFM Gru FMgru s.r.l.
via Emilia 11-29010 Pontenure PC ITALY
tel. 0523/510446 ric.aut. fax 0523/510365
www.fmgru.com e-mail: info@fmgru.com

FEM 1.001
2000/14/CE



Documento commerciale non contrattuale
Per tutte le informazioni tecniche riferirsi
alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument.
Für technische Informationen, siehe die
entsprechenden Anweisungen.

This commercial document is not legally
binding. For any technical information, please
refer to the corresponding instructions.

Documento comercial no contractual
Para cualquier información técnica,
ver la noticia correspondiente.

Code: 15ICA37T25A0
Ed. Data Rev Data
1 15.04.04 2 18.12.07